

GP SERIES CURVEBOOK

Effective 12-1-03
Literature ID Number FT03-890, Rev. 0




TABLE OF CONTENTS


| | |
|--------------------------------|----|
| GP11, 3450 rpm, 60 Hz | 4 |
| GP11, 1725 rpm, 60 Hz | 5 |
| GP11, 2900 rpm, 50 Hz | 6 |
| GP11, 1450 rpm, 50 Hz | 7 |
| GP22/32, 3450 rpm, 60 Hz | 8 |
| GP22/32, 1725 rpm, 60 Hz | 9 |
| GP22/32, 2900 rpm, 50 Hz | 10 |
| GP22/32, 1450 rpm, 50 Hz | 11 |



**GP SERIES
STANDARD
PERFORMANCE CURVE**

MODEL GP11

3450 rpm, 60 Hz
Suction: 1 1/2" FNPT
Discharge: 1 1/2" FNPT




* 3" and 4" are custom impeller trims



**GP SERIES
STANDARD
PERFORMANCE CURVE**

MODEL GP11

1725 rpm, 60 Hz
Suction: 1 1/2" FNPT
Discharge: 1 1/2" FNPT




* 3" and 4" are custom impeller trims



**GP SERIES
STANDARD
PERFORMANCE CURVE**

MODEL GP11

2900 rpm, 50 Hz
Suction: 1 1/2" FNPT
Discharge: 1 1/2" FNPT




* 3" and 4" are custom impeller trims



**GP SERIES
STANDARD
PERFORMANCE CURVE**

MODEL GP11

1450 rpm, 50 Hz
Suction: 1 1/2" FNPT
Discharge: 1 1/2" FNPT




* 3" and 4" are custom impeller trims



**GP SERIES
STANDARD
PERFORMANCE CURVE**

MODEL GP22/32
 3450 rpm, 60 Hz
 Suction: 2" FNPT/3" FLANGE
 Discharge: 2" MNPT/2" FLANGE



5005 REV 0
08/28/03




**GP SERIES
STANDARD
PERFORMANCE CURVE**

MODEL GP22/32

1725 rpm, 60 Hz

Suction: 2" FNPT/3" FLANGE

Discharge: 2" MNPT/2" FLANGE




5006 REV 0
08/28/03



**GP SERIES
STANDARD
PERFORMANCE CURVE**


MODEL GP22/32
 2900 rpm, 50 Hz
 Suction: 2" FNPT/3" FLANGE
 Discharge: 2" MNPT/2" FLANGE



5007 REV 0
08/28/03

MODEL GP22/32

1450 rpm, 50 Hz
Suction: 2" FNPT/3" FLANGE
Discharge: 2" MNPT/2" FLANGE



5008 REV 0
08/28/03



FINISH THOMPSON INC.

921 Greengarden Road • Erie, PA 16501-1591 U.S.A.
Ph 814-455-4478 • Fax 814-455-8518
Email fti@finishthompson.com • www.finishthompson.com

FTI Sales 800-934-9384 (USA & Canada)
Literature ID Number Rev 3.28.12